

	Type	Hits	Search Text Δ	DBs
1	BRS	1692	712/233-244.ccls.	USPAT
2	BRS	0	"09489072"	USPAT
3	BRS	1	"4295193".PN.	USPAT
4	BRS	1	"4437149".PN.	USPAT
5	BRS	1	"4943908".PN.	USPAT
6	BRS	1	"4991080".PN.	USPAT
7	BRS	1	"5072364".PN.	USPAT
8	BRS	0	"9489072"	USPAT
9	BRS	140	\$2valid\$3 adj opcode	USPAT
10	BRS	95	(\$2valid\$3 adj opcode) and branch	USPAT
11	BRS	43	(\$2valid\$3 adj opcode) and branch adj prediction	USPAT
12	BRS	44	(\$2valid\$3 adj opcode) and branch and prediction	USPAT
13	BRS	8	((look-up or access or predict) near2 (every or all or each) near2 address) and (target adj address)	USPAT
14	BRS	3506	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3)	USPAT
15	BRS	59	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) near5 (target adj address)	USPAT
16	BRS	36	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) near5 (target adj address) and ((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT
17	BRS	76	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) with (target adj address)	USPAT
18	BRS	18	(712/237 712/233 712/239).ccls. and speculat\$3 with (stack buffer) with return	USPAT
19	BRS	1	(branch near2 (buffer or cache)) with ((every or all) adj instruction)	USPAT
20	BRS	0	(branch near2 (buffer or cache))adj all	USPAT

	Type	Hits	Search Text Δ	DBs
21	BRS	2	(branch near2 (buffer or cache))adj every	USPAT
22	BRS	0	(branch near2 (buffer or cache))near2 all	USPAT
23	BRS	3	(branch near4 (buffer or cache)) with ((every or all) adj instruction)	USPAT
24	BRS	3	(BTAC or BTB or(branch near4 (buffer or cache))) with ((every or all) adj instruction)	USPAT
25	BRS	3	(BTAC or BTB or(branch near4 (buffer or cache))) with ((every or all) adj instruction)	USPAT
26	BRS	11	(invalid\$3 adj opcode) and branch adj prediction	USPAT
27	BRS	0	(look-up near2 (every or all or each) near2 address) and (target adj address)	USPAT
28	BRS	0	(look-up near2 every near2 address) and (target adj address)	USPAT
29	BRS	1	5163140.pn.	USPAT
30	BRS	57	5163140.URPN.	USPAT
31	BRS	1	5230068.pn.	USPAT
32	BRS	285	712/208.ccls.	USPAT
33	BRS	110	712/235.ccls.	USPAT
34	BRS	101	712/235.ccls. and branch	USPAT
35	BRS	75	712/235.ccls. and branch and target	USPAT
36	BRS	69	712/235.ccls. and branch and target and (cache or buffer)	USPAT
37	BRS	0	712/240.ccls	USPAT
38	BRS	211	712/240.ccls.	USPAT
39	BRS	23	712/240.ccls. and (address adj (subset or portion))	USPAT
40	BRS	2	712/240.ccls. and BTAC	USPAT
41	BRS	0	always adj access near2((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT

	Type	Hits	Search Text Δ	DBs
42	BRS	0	always adj access near2((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT
43	BRS	0	always adj calculat\$3 near2 (target adj address)	USPAT
44	BRS	0	always adj predict near2 (target adj address)	USPAT
45	BRS	1416	branch near2 (buffer or cache)	USPAT
46	BRS	56	branch near2 type adj predict\$4	USPAT
47	BRS	93	branch near2 type near2 predict\$4	USPAT
48	BRS	5	branch near2 type near2 predict\$4 same indirect	USPAT
49	BRS	3	branch near2 type near2 predict\$4 with indirect	USPAT
50	BRS	10	decod\$3 adj after adj branch\$3	USPAT
51	BRS	0	decod\$3 adj after adj speculation	USPAT
52	BRS	0	EACH ADJ INSTRUCTION AND(TARGET ADJ ADDRESS)	USPAT
53	BRS	552	emma.in.	USPAT
54	BRS	29	emma.in. and branch	USPAT
55	BRS	16	emma.in. and branch and target	USPAT
56	BRS	7	emma.in. and branch.ti.	USPAT
57	BRS	259	EVERY ADJ INSTRUCTION AND(TARGET ADJ ADDRESS)	USPAT
58	BRS	2	EVERY ADJ INSTRUCTION WITH(TARGET ADJ ADDRESS)	USPAT
59	BRS	20	instruction near2 length near2 compar\$3	USPAT
60	BRS	544436	integrat\$3 (instruction adj cache) with (BTAC or (branch adj target adj address cache))	USPAT
61	BRS	0	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address adj cache)))	USPAT
62	BRS	174	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address cache)))	USPAT

	Type	Hits	Search Text Δ	DBs
63	BRS	0	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address)))	USPAT
64	BRS	10	meonske	USPAT
65	BRS	22	meonske	USPAT
66	BRS	278	non-branch	USPAT
67	BRS	247	non-branch and fetch\$3	USPAT
68	BRS	225	non-branch and fetch\$3 and decod\$3	USPAT
69	BRS	91	Popescu.in.	USPAT
70	BRS	0	Popescu.in. and val.in.	USPAT
71	BRS	3	speculative adj branch adj target adj address	USPAT
72	BRS	0	speculative adj branch adj target adj address adj (buffer or cache)	USPAT
73	BRS	334	speculative and (branch adj target near2 (cache or buffer))	USPAT
74	BRS	739	speculative and (branch near2 target and (cache or buffer))	USPAT
75	BRS	21	speculative and branch adj target adj address adj (buffer or cache)	USPAT
76	BRS	1063	speculative and branch and target and (cache or buffer)	USPAT
77	BRS	92	speculative with (target adj address)	USPAT